

Serial No. 09/997,473

Supplemental Response to Office Action

Page -2-

IN THE CLAIMS

Claims 1-13. (Previously Cancelled)

Claim 14. (Previously Amended) A curable organopolysiloxane composition having selective adhesion to a substrate, said polymer system containing the following components:

(A) an organopolysiloxane polymer; wherein there is up to 100 parts by weight of the organopolysiloxane polymer having a viscosity of about 10,000 to about 10,000,000 centipoises at 25°C with sufficient vinyl, or mixtures of such organopolysiloxane to provide functional reactivity with a crosslinker organohydrogenpolysiloxane;

B  
(B) an organohydrogenpolysiloxane crosslinker; wherein there is from 0.3 to 40 parts by weight of the organohydrogenpolysiloxane crosslinker containing at least two silicon-bonded hydrogens per molecule;

(C) a platinum group metal catalyst; wherein there is a catalytically effective amount of the platinum group metal catalyst;

(D) a cure inhibitor; wherein there is from 0.01 to 3 parts by weight of the cure inhibitor of the type 4 or 5, ethyl cyclohexan-1-ol;

(E) an adhesion promoter; wherein there is from 0.01 to 30 parts by weight of a compound comprising at least one hydroxy group and in

Serial No. 09/997,473

Supplemental Response to Office Action

Page -3-

the same molecule at least one substituent selected from a group consisting of silicon hydride, alkenyl, and acryl;

(F) an epoxy functional compound; wherein there is from 0.01 to 30 parts by weight of the epoxy functional compound; and

B' (G) a compound selected from the group consisting of soluble polydiorganosiloxanes, polycycloorganosiloxanes, glycols, and mixtures thereof; wherein there is up to about 10 parts by weight based upon the polymer system of a mold release agent that is selected from the group consisting of soluble fluid polydiorganosiloxanes, polycycloorganosiloxanes (linear and cyclic), hydroxy end blocked hydrocarbons and having a molecular distribution such that the viscosity is 50 to 10,000 centipoises at 25°C.

Claims 15-16. (Previously Cancelled)

Claim 17. (Previously Amended) A composite comprising an epoxy-coated substrate having bonded thereto a cured organopolysiloxane, said cured organopolysiloxane composition having selective adhesion to a substrate, said polymer system containing the following components:

(A) an organopolysiloxane polymer;

(B) an organohydrogenpolysiloxane crosslinker;

Serial No. 09/997,473

Supplemental Response to Office Action

Page -4-

(C) a platinum group metal catalyst;

(D) a cure inhibitor;

(E) an adhesion promoter;

(F) an epoxy functional compound; and

(G) a compound selected from the group consisting of soluble polydiorganosiloxanes, polycycloorganosiloxanes, glycols, and mixtures thereof.

B<sup>1</sup>  
Claim 18. (Original): The composite of claim 17, where the substrate is metal.

Claims 19-23. (Previously Cancelled)

Claim 24. (Original) The composition of claim 14 wherein there is from 0.1 to 10 parts by weight of the crosslinker.

Claim 25. (Currently Amended) A composite having bonded thereto a cured organopolysiloxane composition, wherein the composite comprises a resin; and the cured organopolysiloxane composition having selective adhesion to a substrate, said ~~polymer system~~ composition containing the following components:


Serial No. 09/997,473

Supplemental Response to Office Action

Page -5-

- (A) an organopolysiloxane polymer;
- (B) an organohydrogenpolysiloxane crosslinker;
- (C) a platinum group metal catalyst;
- (D) a cure inhibitor;
- (E) an adhesion promoter;
- (F) an epoxy functional compound, wherein there is from 0.01 to 10 parts by weight of the epoxy functional adhesion compound; and
- (G) a compound selected from the group consisting of soluble polydiorganosiloxanes, polycycloorganosiloxanes, glycols, and mixtures thereof.

Claim 26. (Currently Amended): The composition of claim 14 wherein the polydiorganosiloxane is of the formula:



~~Wherein~~ wherein each R<sup>1</sup> is independently chosen from a hydrogen or monovalent hydrocarbon radical free of aliphatic unsaturation containing 1 to about 8 carbon atoms, R<sup>2</sup> is independently chosen from a monovalent

Serial No. 09/997,473

Supplemental Response to Office Action

Page -6-

B<sup>1</sup>  
hydrogen radical free from aliphatic unsaturation containing 1 to about 4 carbon atoms methyl, ethyl, vinyl, hydroxy, propyl, and 3,3,3-trifluoropropyl, and/or a branch chain of polydiorganosiloxane group and is itself a straight chain, and where m is 1, 2, 3 ..., n is 0, 1, 2, ..., and m+n varies so that the crosslinker has x is given to create a viscosity ranging from about 80 to 1000 of 10,000 to 10,000,000 centipoises at 25°C.

Claims 27-30. (Previously Cancelled)